

# Moving Objects in Geographic Information Systems: Future trends?

Maribel Yasmina Santos  
 maribel@dsi.uminho.pt  
 Universidade do Minho  
 04 de Dezembro de 2012



## Motivation ■■■


- Huge availability of data with a spatial component
- Movement data being collected through GPS receivers, mobile devices, sensors, and other technologies
- Time-stamped locations  $(id, x, y, t)$
- Need to store and analyse movement data



## Motivation □■■



## Motivation □□■



## Outline

- Overview
- Challenges
- Moving Objects Databases
  - Historical Moving Objects
  - Predictive Moving Objects



## Overview ■■■

- Extending database technology:
  - To provide facilities in a DBMS data model for describing such entities and to extend the query language for analyzing them
- Two approaches:
  - To build a layer on top of an existing DBMS and so to map moving object representations and predicates to existing facilities of the DBMS
  - To actually extend the DBMS by providing data structures for moving objects, methods for evaluating operations, specialized indexes, join algorithms, ...



### Overview

- From the basic abstractions point, line and polygon
- Moving objects [Erwig, Güting, Schneider and Vazirgiannis, 1999]
  - Moving Points (Time-dependent locations)
  - Moving Regions (Time-dependent shapes)

### Overview

- Moving points (type mPoint)
  - f: time → point
  - Flight (IdFlight: int; IdOrigin: int; IdDestination: int; Route: mPoint)
- Moving regions (type mRegion)
  - f: time → mRegion
  - Weather (IdWeather: int; Area: mRegion)

**intersection:** mpoint × mregion → mpoint  
**distance:** mpoint × mpoint → mreal  
**trajectory:** mpoint → line  
**deftime:** mpoint → periods  
**length:** line → real  
**min:** mreal → real

```

SELECT IdFlight
FROM Flights AS f, Weather AS w
WHERE f.IdFlight = 'BA488' AND w.IdWeather = 'S16'
    
```

### Challenges

- Represent the development of entities over time
- Represent objects moving right now or in the past
  - Data represented in a database generally reflect the current state of the world...
    - And the past?
      - Temporal database?
      - Spatial Database?
      - Spatiotemporal database
  - Positions that are continuously updated is not really feasible

### Moving Objects Databases

- Enables the user to model, store, and query the movement of moving objects over time and to ask queries about such movements in a database context [Schneider, 2009]
- Moving objects in unconstrained environments:
  - Not impeded by spatial constraints
  - Not interested in their spatial constraints
  - Historical moving objects and predictive moving objects
- Moving objects in constrained environments:
  - Restricted by spatially embedded networks like roads

### Historical Moving Objects

- Describe the temporal evolution of spatial objects in the past and are leveraged for spatiotemporal analysis
- Modeling historical moving objects in databases uses spatiotemporal data types
- Enable the user to describe the
  - Continuous
  - Dynamic
  - Time-dependent
 behavior and location change of spatial objects over time and to perform spatiotemporal analysis

### Historical Moving Objects

- Spatiotemporal predicates [Güting and Schneider 2005]
  - Describe changing topological relationships of moving objects over time
  - Disjoint >> meet >> Inside >> meet >> Disjoint
  - The temporal composition operator is indicated by >>
  - Spatiotemporal pattern?

## Historical Moving Objects

### Research work

- Spatiotemporal query language, STQL [Erwig and Schneider, 1999], and a visual query language, Query-By-Trace [Erwig and Schneider, 2000, 2003].
- Data structures for moving objects [Forlizzi et al. 2000]
- Spatiotemporal operations [Cotelo Lema et al. 2003]
- Index structures [Aragwal et al., 2000]
- Study of similarity of trajectories [Yanagi-sawa et al., 2003]
- ...



## Future Trends

- Spatiotemporal predicates to be used as filter conditions for spatiotemporal joins and selections
- Model for evolution of directional relationships (cardinal directions) over time:
  - How to detect directional patterns of moving objects?




- Derive the overall cardinal direction seen from the starting point of the route?
- Location of the whales?



## Predictive Moving Objects

- Describe the predicted temporal evolution of spatial objects at the present time and in the near future
- MOST (Moving Objects Spatio-Temporal model) [Sistla et al., 1997] describes current and expected future movement in a database context:
  - Enables the user to keep track of a set of time-dependent locations
  - Represent positions by a motion vector



## Predictive Moving Objects

- Introduce dynamic attributes which change their values automatically with time:
  - The dynamics is given by linear functions that describe motion vectors and avoid frequent database updates
    - Dynamic integer and dynamic real
    - No concept of dynamic spatial data types so that the only option to represent a moving point is to model it as a pair (x: dynamic real, y: dynamic real)
  - Dynamic lines or regions cannot be modeled...



## Future Trends

- Current models only refer to moving points which are modeled implicitly through dynamic attributes:
  - Comprehensive data model for the predictive and near future evolution of moving objects ... later integrated into databases
    - Main challenge is the treatment of the inherent uncertainty that affects near future moving objects
  - Design of spatiotemporal predicates for predictive moving objects: explore how moving objects with a predicted behavior may behave towards each other



## References

- Agarwal PK, Arge L, Erickson J (2000) Indexing Moving Points. In: ACM Symp. on Principles of Database Systems., 175-186
- Cotelo Lema JA, Forlizzi L, Güling RH, Nardelli E, Schneider M (2003) Algorithms for Moving Objects Databases. Computer Journal: 680-712
- Erwig M, R. H. Güling, M. Schneider and M. Vazirgiannis (1999) Spatio-Temporal Data Types: An Approach to Modeling and Querying Moving Objects in Databases. Geoinformatica 5(3): 269-296
- Erwig M, Schneider M (1999) Developments in Spatio-Temporal Query Languages. In: IEEE Int. Workshop on Spatio-Temporal Data Models and Languages, 441-449
- Erwig M, Schneider M (2000) Query-By-Trace: Visual Predicate Specification in Spatio-Temporal Databases. In: 3rd IIR 2.2 Working Conf. on Visual Data-base Systems
- Erwig M, Schneider M (2003) A Visual Language for the Evolution of Spatial Relationships and its Transition into a Spatio-Temporal Calculus. Journal of Visual Languages and Computing 14(2): 181-211
- Forlizzi L, Güling RH, Nardelli E, Schneider M (2000) A Data Model and Data Structures for Moving Objects Databases. In: ACM SIGMOD Int. Conf. on Management of Data, 319-330
- Güling RH, Schneider M (2005) Moving Objects Databases. Morgan Kaufmann Publishers
- Schneider M. (2009). "Moving Objects in Databases and GIS: State-of-the-Art and Open Problems". Research Trends in Geographic Information Science, Lecture Notes in Geoinformation and Cartography, 169-187
- Yanagisawa Y, Akahani J, Safah T (2003) Shape-based Similarity Query for Trajectory of Mobile Objects. In: Int. Conf. on Mobile Database Management, 63-77
- Sistla AP, Wolfson O, Chamberlain S, Dao S (1997) Modeling and Querying Moving Objects. In: Int. Conf. on Data Engineering, 422-432

